

■  
Cordless axial press

REMS Ax-Press 30



**SMALLER!  
FASTER!  
MORE EFFICIENT!**

**REMS** TECHNOLOGY  
**LI-ION 22V** ⚡

**REMS**

for Professionals

# REMS TECHNOLOGY LI-ION 22V

Even more efficient:  
50% more pressings! <sup>1)</sup>

Even faster:  
e.g. Ø 26 mm in just 5 s!

Even smaller!  
Can be used  
anywhere,  
free hand,  
over head,  
in confined spaces.

Only 4.4 kg including batteries!

German quality product



# REMS Ax-Press 30 Li-Ion – extremely strong up to Ø 32 mm. Ultra light, ultra small, ultra handy, ultra fast.

Compact, handy power tool for manufacturing compression sleeve connections with crimping sleeves. For trade and industry. For the building site and the workshop. Cordless axial press for manufacturing compression sleeve connections with crimping sleeves, Ø 12–32 mm.

- 1 Full range of REMS compression heads available for all common compression sleeve systems with crimping sleeves.
- 2 Highly durable compression heads made of forged, specially hardened special steel. The REMS compression heads are system-specific and correspond to the requirements of the respective compression sleeve systems. Perfect system-conformant, reliable pressing as a result.
- 3 **Design**  
Compact, handy, light. Drive unit with battery pack weighs only 4.4 kg. Can be used anywhere, free hand, over head, in confined spaces. Optimum weight distribution for one-hand operation.
- 4 Drive unit with inserted compression heads can be put down on the battery ready to pick up.
- 5 Ergonomically designed housing with soft grip.
- 6 Integrated LED work light for illuminating the work place.
- 7 Quick-change compression heads, without tools. Secure fit of compression heads by spring catch.
- 8 Electronic charging status check with flat battery protection and charging status indicator with 2-coloured LED.
- 9 **Drive**  
High pressing for extremely fast, trouble-free pressing, e.g. Ø 26 mm in just 5 s. Powerful electro-hydraulic drive with high-powered, battery-operated motor 21.6 V, 380 W output, robust planetary gear, eccentric reciprocating pump and compact, high power hydraulic system.
- 10 Safety switch.
- 11 **Li-Ion 22V Technology**  
Highly resistance Li-Ion 21.6 V batteries with 1.6 or 2.5 Ah capacity, for long life. Powerful and light. Li-Ion 21.6 V batteries for 50 % more pressings<sup>2)</sup> than Li-Ion 14.4 V batteries.
- 12 Graduated charging state display with coloured LED.
- 13 Total discharge and overload protection with single cell monitoring. Temperature monitoring during the charging process. Operating temperature range – 10 to + 60 °C. No memory effect for maximum battery power.
- 14 Rapid charger for short charging times.

# REMS Ax-Press 30 Li-Ion



**REMS Ax-Press 30 Li-Ion Basic-Pack.** Cordless axial press for manufacturing compression sleeve connections with crimping sleeves, Ø 12–32 mm. Electro-hydraulic drive with powerful 21.6 V, 380 W battery motor, robust planetary gear, eccentric reciprocating pump and compact high power hydraulic system, safety switch. Integrated LED work light. Battery Li-Ion 21.6 V, 1.6 Ah, Li-Ion 230 V, 50–60 Hz rapid charger, 70 W. In sturdy steel case.

Art.-No. 573018



## Accessories

**REMS Ax-Press 30 Li-Ion drive unit,**  
without battery

Art.-No. 573008

**Battery Li-Ion 21,6 V, 1,6 Ah**

Art.-No. 571570

**Battery Li-Ion 21,6 V, 2,5 Ah**

Art.-No. 571571

**Rapid charger Li-Ion 230 V, 50–60 Hz, 70 W**

Art.-No. 571575

**Steel case with inlay**

Art.-No. 573282

## REMS compression heads

REMS compression heads	Compression head	Art.-No.
<b>Brasstech Raptor/ Metalpex/ Raptor 2/ MULTitermoSAN</b>	ME 14, pack of 2	573100
	ME 16, pack of 2	573102
	ME 20, pack of 2	573106
	ME 26, pack of 2	573108
	ME 32, pack of 2	573110
<b>General Fittings Serie 5400</b>	ME 14, pack of 2	573100
	ME 16, pack of 2	573102
	ME 20, pack of 2	573106
	ME 26, pack of 2	573108
	ME 32, pack of 2	573110
<b>Georg Fischer pfci ALUPEX-EXPRESS/ Alupex Gas System</b>	ME 14, pack of 2	573100
	ME 16, pack of 2	573102
	ME 20, pack of 2	573106
	ME 26, pack of 2	573108
	ME 32, pack of 2	573110
<b>Logstor</b>	ME 16, pack of 2	573102
	LR 20, pack of 2	573430
	LR 22, pack of 2	573432
	LR 25, pack of 2	573434
	LR 28, pack of 2	573436
	LR 32, pack of 2	573438

Sale through specialist dealers.



**REMS (UK) Ltd.**

Unit 5 · Ash Industrial Estate  
Flex Meadow · Harlow · Essex CM19 5TJ  
Phone +44 12 79 41 36 98  
Fax +44 12 79 41 37 04  
www.rems.de · GBR@rem.de

 [www.rems.de](http://www.rems.de)

 [www.youtube.com/remstools](http://www.youtube.com/remstools)

 [www.facebook.com/remstools](http://www.facebook.com/remstools)

 [www.twitter.com/remstools](http://www.twitter.com/remstools)